

Revision Date: 17.October 2023 Date of first issue: 30.March 2010 SDS Number : F-01791

### SECTION 1: Identification of the substance/mixture and of the Company/undertaking

1.1 Product identifier			
Trade name	: MX-312GT		
1.2 Relevant identified uses of	the substance or mixture and uses advised against		
Use of the Substance/Mixture	e : Reprographic agents (Toner)		
1.3 Details of the supplier of the	ne safety data sheet		
Company EU : SHARP Ma	nufacturing France S.A.		
Route de Bollwiller, 68360 Soultz Haut Rhin, France			
UK : Sharp Business Systems UK PLC			
Northern Ho	ouse, Moor Knoll Lane, East Ardsley, Wakefield, WF3 2EE, United Kingdom		
Telephone	: +49 40 2376-0		
E-mail address of person	: compliance@sharp.eu		

responsible for the SDS

#### 1.4 Emergency telephone number

+49 40 2376-2525 (from 9:00 to 17:00 CET/CEST, English, German Only)

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Not Classified as hazardous

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	: None
Signal word	: None
Hazard statements	: None
Precautionary statements	: None

#### 2.3 Other hazards

Potential dust explosion hazard.



Revision Date: 17.October 2023 Date of first issue: 30.March 2010 SDS Number : F-01791

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

## Components

Chemical Name	CAS-No.	EC-No.	Classification (REGULATION (EC) No1272/2008)	Concentration (%)
Styrene-Acrylate copolymer	Confidential	Confidential	Not classified	80-90
Carbon black	1333-86-4	215-609-9	Not classified	5-10
Polyethylene	Confidential	Confidential	Not classified	1-5
Charge control agent	Confidential	Confidential	Not classified	1-5
Silicon dioxide	7631-86-9	231-545-4	Not classified	0,1-1

For explanation of abbreviations see section 16.

.1 Description of first aid measure	25
General advice	: In the case of accident or if you feel unwell, seek medical
	advice immediately.
	When symptoms persist or in all cases of doubt seek medic
	advice.
Protection of first-aiders	: First Aid responders should pay attention to self-protection,
	and use the recommended personal protective equipment
	when the potential for exposure exists.
If inhaled	: If inhaled, remove to fresh air.
	If not breathing, give artificial respiration.
	If breathing is difficult, give oxygen.
	Get medical attention.
In case of skin contact	: Get medical attention if irritation develops and persists.
	Wash clothing before reuse.
In case of eye contact	: If in eyes, rinse well with water.
	Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, Get medical attention.
	Rinse mouth thoroughly with water.
.2 Most important symptoms and	effects, both acute and delayed
Risks	: Dust contact with the eyes can lead to mechanical irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: Treat symptomatically and supportively.
-----------	---



Revision Date: 17.October 2023 Date of first issue: 30.March 2010 SDS Number : F-01791

## SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media : Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2) Unsuitable extinguishing media : High volume water jet 5.2 Special hazards arising from the substance or mixture Specific hazards during firefighting : Do not use a solid water stream as it may scatter and spread fire. Exposure to combustion products may be a hazard to health. : Carbon oxides Hazardous combustion products Nitrogen oxides (NOx) 5.3 Advice for firefighters Special protective equipment for firefighters: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Specific extinguishing methods Use extinguishing measures that are appropriate to local 1 circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures			
Personal precautions	: Use personal protective equipment.		
	Follow safe handling advice and personal protective		
	equipment recommendations.		
6.2 Environmental precautions			
Environmental precautions	: Discharge into the environment must be avoided.		
	Prevent further leakage or spillage if it is safe to do so.		
	Retain and dispose of contaminated water.		
	Local authorities should be advised if significant spillages		
	cannot be contained.		
6.3 Methods and material for containment and cleaning up			

Methods for cleaning up	: Sweep up or vacuum up spillage and collect in suitable
	container for disposal.
	Avoid dispersal of dust in the air (i.e., clearing dust surfaces
	with compressed air).
	Dust deposits should not be allowed to accumulate on

3 / 9



Revision Date: 17.October 2023 Date of first issue: 30.March 2010 SDS Number : F-01791

surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases.

You will need to determine which regulations are applicable.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

7.1 Precautions for safe handling	
Technical measures	: Static electricity may accumulate and ignite suspended dust
	causing an explosion.
	Provide adequate precautions, such as electrical grounding
	and bonding, or inert atmospheres.
Advice on safe handling	: Do not breathe dust. Do not swallow. Avoid contact with eyes.
	Handle in accordance with good industrial hygiene and safety
	practice. Keep container tightly closed.
	Minimize dust generation and accumulation.
	Keep away from heat and sources of ignition.
	Take care to prevent spills, waste and minimize release to the
	environment.
Hygiene measures	: When using do not eat, drink or smoke.
	Wash contaminated clothing before re-use.
7.2 Conditions for safe storage, incl	uding any incompatibilities
Requirements for storage	: Keep tightly closed. Keep in a cool, well-ventilated place.
areas and containers	Be stored in accordance with the particular national regulation
Advice on common storage	: Do not be stored together with the following product types:
	Strong oxidizing agents
	Organic peroxides
	Explosives
	Gases
7.3 Specific end use(s)	
Specific use(s)	: No data available



Revision Date: 17.October 2023 Date of first issue: 30.March 2010 SDS Number : F-01791

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Carbon black	1333-86-4	TWA	3.5 mg/m3	GB EH40
Carbon black	1555-60-4	STEL	7 mg/m3	GB EH40
Cilia en alientida	7004 00 0	TWA (inhalable dust)	6 mg/m3 (Silica)	GB EH40
Silicon dioxide	7631-86-9	TWA (Respirable dust)	2.4 mg/m3 (Silica)	GB EH40

#### 8.2 Exposure controls

#### Engineering measures

Minimize workplace exposure concentrations.

Apply measures to prevent dust explosions.

#### Personal protective equipment

: Not required under intended us	e
: Not required under intended us	e
: Not required under intended us	e
: Not required under intended us	e
: Not required under intended us	e
	<ul> <li>Not required under intended us</li> </ul>

#### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state	:	Powder
Colour	:	Black
Odour	:	Odourless
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	100 - 130 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Particle characteristics	:	5~10 µ m
Density	:	ca. 1,1 g/cm3
Bulk density	:	ca. 0,35 g/cm3



Revision Date: 17.October 2023 Date of first issue: 30.March 2010 SDS Number : F-01791

		SDS Number : F-01791
Solubility(ies)		
Water solubility	:	Negligible
Partition coefficient: noctanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
9.2 Other information		
No data available		
SECTION 10: Stability and reactivity		
10.1 Reactivity		
Not classified as a reactivity hazard.		
10.2 Chemical stability		
Stable under normal conditions.		
10.3 Possibility of hazardous reactions		
Hazardous reactions	:	Dust can form an explosive mixture in the air.
		Can react with strong oxidizing agents.
10.4 Conditions to avoid		
Conditions to avoid	:	None known.
10.5 Incompatible materials		
Materials to avoid	:	Oxidizing agents
10.6 Hazardous decomposition products	5	
No hazardous decomposition products a	are	known.
SECTION 11: Toxicological informati	on	
11.1 Information on hazard classes as de	əfin	ned in Regulation (EC) No 1272/2008
Information on likely routes of exposure	:	Inhalation
		Skin contact
Acute toxicity		Eye contact
Acute toxicity		LD50 : > 2000 mg/kg
Acute inhalation toxicity		LC50 : > 5,0 mg/l
Skin corrosion/irritation	•	
No skin irritation		
Serious eye damage/eye irritation		
No eye irritation		



# SAFETY DATA SHEET

Revision Date: 17.October 2023 Date of first issue: 30.March 2010 SDS Number : F-01791

		SDS Number	: F-01791
Respiratory or skin sensitisation			
No sensitization			
Germ cell mutagenicity			
AMES	: negative		
Carcinogenicity			
Not classified based on available information	ation.		
Reproductive toxicity			
No data available			
STOT - single exposure			
No data available			
STOT - repeated exposure			
No data available			
Aspiration hazard			
Not relevant			
11.2 Information on other hazards			
No data available			
SECTION 12: Ecological information			
12.1 Toxicity			
Toxicity to fish	: LC50: > 100 mg/l		
	Exposure time: 96 h		
Toxicity to daphnia and other aquatic	: EC50: > 100 mg/l		
invertebrates	Exposure time: 48 h		
Toxicity to algae	: EC50: > 100 mg/l		
	Exposure time: 72 h		
12.2 Persistence and degradability			
No data available			
12.3 Bioaccumulative potential			
No data available			
12.4 Mobility in soil			
No data available			
12.5 Results of PBT and vPvB assessme	nt		
Not relevant			
12.6 Endocrine disrupting properties			
No data available			
12.7 Other adverse effects			
No data available			



Revision Date: 17.October 2023 Date of first issue: 30.March 2010 SDS Number : F-01791

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
Product	: Dispose of it in accordance with local regulations.
	According to the European Waste Catalogue, Waste Codes
	are not product specific, but application specific.
	Waste codes should be assigned by the user, preferably in
	discussion with the waste disposal authorities.
Contaminated packaging	: Dispose of it as an unused product.
	Empty containers should be taken to an approved waste
	handling site for recycling or disposal.

# **SECTION 14: Transport information**

14.1 UN number or ID number	:	None
14.2 UN proper shipping name	:	None
14.3 Transport hazard class(es)	:	None
14.4 Packing group	:	None
14.5 Environmental hazards	:	None
14.6 Special precautions for user	:	Not applicable
14.7 Maritime transport in bulk according to IMO instruments		

Remarks

: Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

	Regulation (EC) No 649/2012 of the European Parliament	: Not applicable
	and the Council concerning the export and import of	
	dangerous chemicals	
	REACH - Candidate List of Substances of Very High	: Not applicable
	Concern for Authorisation (Article 59).	
	Regulation (EC) No 1005/2009 on substances that deplete	: Not applicable
	the ozone layer	
	Regulation (EC) No 850/2004 on persistent organic pollutants	: Not applicable
15	.2 Chemical Safety Assessment	
	A Chemical Safety Assessment has not been carried out.	

### **SECTION 16: Other information**

Full text of other abbreviations	
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	: Short-term exposure limit (15-minute reference period)



Revision Date: 17.October 2023 Date of first issue: 30.March 2010 SDS Number : F-01791

#### **Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency,http://echa.europa.eu/

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.