

Revision Date: 17.October 2023 Date of first issue: 1.June 1998 SDS Number : F-00831

SECTION 1: Identification of the substance/mixture and of the Company/undertaking

1.1 Product identifier Trade name : AL-100TD / AL-110TD / AL-110DC / DM-150TD 1.2 Relevant identified uses of the substance or mixture and uses advised against Use of the Substance/Mixture : Reprographic agents (Toner) 1.3 Details of the supplier of the safety data sheet Company EU : SHARP Manufacturing France S.A. Route de Bollwiller, 68360 Soultz Haut Rhin, France UK : Sharp Business Systems UK PLC Northern House, Moor Knoll Lane, East Ardsley, Wakefield, WF3 2EE, United Kingdom Telephone : +49 40 2376-0 E-mail address of person : compliance@sharp.eu

responsible for the SDS

1.4 Emergency telephone number

+49 40 2376-2525 (from 9:00 to 17:00 CET/CEST, English, German Only)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not Classified as hazardous

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	: None
Signal word	: None
Hazard statements	: None
Precautionary statements	: None

2.3 Other hazards

Potential dust explosion hazard.



Revision Date: 17.October 2023 Date of first issue: 1.June 1998 SDS Number : F-00831

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical Name	CAS-No.	EC-No.	Classification (REGULATION (EC) No1272/2008)	Concentration (%)
Styrene-Acrylate copolymer	Confidential	Confidential	Not classified	80-90
Carbon black	1333-86-4	215-609-9	Not classified	5-10
Paraffin waxes and Hydrocarbon waxes	8002-74-2	232-315-6	Not classified	1-5
Charge control agent	Confidential	Confidential	Not classified	1-5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures		
4.1 Description of first aid measures		
General advice	:	In the case of accident or if you feel unwell, seek medical
		advice immediately.
		When symptoms persist or in all cases of doubt seek medical
		advice.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection,
		and use the recommended personal protective equipment
		when the potential for exposure exists.
If inhaled	:	If inhaled, remove to fresh air.
		If not breathing, give artificial respiration.
		If breathing is difficult, give oxygen.
		Get medical attention.
In case of skin contact	:	Get medical attention if irritation develops and persists.
		Wash clothing before reuse.
In case of eye contact	:	If in eyes, rinse well with water.
		Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, Get medical attention.
		Rinse mouth thoroughly with water.
4.2 Most important symptoms and effect	ts, bo	oth acute and delayed
Risks	:	Dust contact with the eyes can lead to mechanical irritation.
4.3 Indication of any immediate medical	attei	ntion and special treatment needed
Treatment	:	Treat symptomatically and supportively.



Revision Date: 17.October 2023 Date of first issue: 1.June 1998 SDS Number : F-00831

SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing media : Water spray Alcohol-resistant foam Drv chemical Carbon dioxide (CO2) High volume water jet Unsuitable extinguishing media 5.2 Special hazards arising from the substance or mixture Specific hazards during firefighting : Do not use a solid water stream as it may scatter and spread fire. Exposure to combustion products may be a hazard to health. Hazardous combustion products : Carbon oxides Nitrogen oxides (NOx) 5.3 Advice for firefighters Special protective equipment for firefighters: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. **SECTION 6: Accidental release measures** 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions : Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations. **6.2 Environmental precautions** Environmental precautions Discharge into the environment must be avoided. Prevent further leakage or spillage if it is safe to do so. Retain and dispose of contaminated water. Local authorities should be advised if significant spillages cannot be contained. 6.3 Methods and material for containment and cleaning up Methods for cleaning up Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.

Local or national regulations may apply to releases and

disposal of this material, as well as those materials and items

employed in the cleanup of releases.

You will need to determine which regulations are applicable.



6.4 Reference to other sections

SAFETY DATA SHEET

Revision Date: 17.October 2023 Date of first issue: 1.June 1998 SDS Number : F-00831

SECTION 7: Handling and storage	ge
7.1 Precautions for safe handling	
Technical measures	: Static electricity may accumulate and ignite suspended dust
	causing an explosion.
	Provide adequate precautions, such as electrical grounding
	and bonding, or inert atmospheres.
Advice on safe handling	: Do not breathe dust. Do not swallow. Avoid contact with eyes.
	Handle in accordance with good industrial hygiene and safety
	practice. Keep container tightly closed.
	Minimize dust generation and accumulation.
	Keep away from heat and sources of ignition.
	Take care to prevent spills, waste and minimize release to the
	environment.
Hygiene measures	: When using do not eat, drink or smoke.
	Wash contaminated clothing before re-use.
7.2 Conditions for safe storage, inc	luding any incompatibilities
Requirements for storage	: Keep tightly closed. Keep in a cool, well-ventilated place.
areas and containers	Be stored in accordance with the particular national regulations
Advice on common storage	: Do not be stored together with the following product types:
	Strong oxidizing agents
	Organic peroxides
	Explosives
	Gases
7.3 Specific end use(s)	
Specific use(s)	: No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Carbon black	1333-86-4	TWA	3.5 mg/m3	GB EH40
Carbon black	1555-60-4	STEL	7 mg/m3	GB EH40
Paraffin waxes and	8002-74-2	TWA (Fumes)	2 mg/m3	GB EH40
Hydrocarbon waxes	0002742	STEL (Fumes)	6 mg/m3	GB EH40



Revision Date: 17.October 2023 Date of first issue: 1.June 1998 SDS Number : F-00831

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Apply measures to prevent dust explosions.

Personal protective equipment

Eye protection	: Not required under intended use	
Hand protection	: Not required under intended use	
Skin and body protection	: Not required under intended use	
Respiratory protection	: Not required under intended use	
Thermal hazards	: Not required under intended use	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	powder
Colour	:	black
Odour	:	odourless
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	100 - 130 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Particle characteristics	:	5~10 µ m
Density	:	ca. 1,1 g/cm3
Bulk density	:	ca. 0,35 g/cm3
Solubility(ies)		
Water solubility	:	negligible
Partition coefficient: noctanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.



Revision Date: 17.October 2023 Date of first issue: 1.June 1998 SDS Number : F-00831

	5D5 Number . F-00	0031
9.2 Other information		
No data available		
SECTION 10: Stability and reactivity		
10.1 Reactivity		
Not classified as a reactivity hazard.		
10.2 Chemical stability		
Stable under normal conditions.		
10.3 Possibility of hazardous reactions		
Hazardous reactions	: Dust can form an explosive mixture in the air.	
	Can react with strong oxidizing agents.	
10.4 Conditions to avoid		
Conditions to avoid	: None known.	
10.5 Incompatible materials		
Materials to avoid	: Oxidizing agents	
10.6 Hazardous decomposition products	5	
No hazardous decomposition products a	are known.	
SECTION 11: Toxicological information	ion	
11.1 Information on hazard classes as de	efined in Regulation (EC) No 1272/2008	
Information on likely routes of exposure		
	Skin contact	
	Ingestion	
Acute toxicity	Eye contact	
Acute oral toxicity	: LD50 : > 2000 mg/kg	
Acute inhalation toxicity	: LC50 : > 5,14 mg/l	
Skin corrosion/irritation	-	
No skin irritation		
Serious eye damage/eye irritation		
No eye irritation		
Respiratory or skin sensitisation		
No sensitization		
Germ cell mutagenicity		
AMES	: negative	
Carcinogenicity		
Not classified based on available information	ation.	
Reproductive toxicity		
No data available		



Revision Date: 17.October 2023 Date of first issue: 1.June 1998 SDS Number : F-00831

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration hazard

Not relevant

11.2 Information on other hazards

SECTION 12: Ecological information

No data available

12.1 Toxicity	
Toxicity to fish	: LC50: > 100 mg/l
	Exposure time: 96 h
Toxicity to daphnia and other aquatic	: EC50: > 100 mg/l
invertebrates	Exposure time: 48 h
Toxicity to algae	: EC50: > 100 mg/l
	Exposure time: 72 h
12.2 Persistence and degradability	
No data available	
12.3 Bioaccumulative potential	
No data available	
12.4 Mobility in soil	
No data available	
12.5 Results of PBT and vPvB assessme	ent
Not relevant	
12.6 Endocrine disrupting properties	
No data available	
12.7 Other adverse effects	
No data available	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

 Dispose of it in accordance with local regulations.
 According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
 Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

7 / 9



Revision Date: 17.October 2023 Date of first issue: 1.June 1998 SDS Number : F-00831

	SDS Number : F-00831
Contaminated packaging	: Dispose of it as an unused product.
	Empty containers should be taken to an approved waste
	handling site for recycling or disposal.
SECTION 14: Transport information	on
4.1 UN number or ID number	: None
4.2 UN proper shipping name	: None
4.3 Transport hazard class(es)	: None
4.4 Packing group	: None
4.5 Environmental hazards	: None
4.6 Special precautions for user	: Not applicable
4.7 Maritime transport in bulk accord	ding to IMO instruments
Remarks	: Not applicable for product as supplied.
SECTION 15: Regulatory informat	ion
5.1 Safety, health and environmenta	I regulations/legislation specific for the substance or mixture
Regulation (EC) No 649/2012 of the	European Parliament : Not applicable
and the Council concerning the expo	rt and import of
dangerous chemicals	
REACH - Candidate List of Substand	ces of Very High : Not applicable
Concern for Authorisation (Article 59).
Regulation (EC) No 1005/2009 on su	ubstances that deplete : Not applicable
the ozone layer	
Regulation (EC) No 850/2004 on per	sistent organic pollutants : Not applicable
5.2 Chemical Safety Assessment	
A Chemical Safety Assessment has	not been carried out.
SECTION 16: Other information	
Full text of other abbreviations	
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	: Short-term exposure limit (15-minute reference period)
Further information	
Sources of key data used to compile	: Internal technical data, data from raw material SDSs, OECD
the Safety Data Sheet	eChem Portal search results and European Chemicals
	Agency,http://echa.europa.eu/

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling,



use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.